

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/15/2020 Revision date: 04/15/2020

# **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : HANDSTAND SANITARY HAND PURIFIER 65% ETHANOL FORMULA

Product code : C-539E

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Creative Chemicals, Inc. 88 Winter Street Holyoke, MA 01040 T 413-533-8050

### 1.4. Emergency telephone number

Emergency number : CHEM TEL 800-255-3924

# SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS-US** classification

Flammable liquids H225 Category 2

Carcinogenicity H350

Category 1A

Full text of H statements : see section 16

# 2.2. Label elements

# **GHS-US** labeling

Hazard pictograms (GHS-US)



02 GHS

Signal word (GHS-US) : Danger

Contains : ethanol, aqueous solutions, F.P.<23°C Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H350 - May cause cancer (oral)

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat. - No smoking P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear eye protection

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P308+P313 - If exposed or concerned: Get medical advice/attention P370+P378 - In case of fire: Use Suitable extinguishing media to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

# 2.3. Other hazards

No additional information available

04/15/2020 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
ethanol, aqueous solutions, F.P.<23°C	(CAS No) 64-17-5	65 - 70	Flam. Liq. 2, H225 Carc. 1A, H350

Full text of H-phrases: see section 16

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

# 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

04/15/2020 EN (English US) 2/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/...

equipment

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep in fireproof

place. Keep container tightly closed.

Incompatible products

Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

ethanol, aqueous solutions, F.P.<23°C (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

### 8.2. Exposure controls

Specific gravity / density

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color Colorless Odor characteristic Odor threshold No data available pН : No data available No data available Melting point Freezing point No data available Boiling point No data available Flash point No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** No data available Explosive properties : No data available : No data available Oxidizing properties Vapor pressure No data available : No data available Relative density Relative vapor density at 20 °C No data available

04/15/2020 EN (English US) 3/7

: ≈ 0.88

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility : Water: Solubility in water of component(s) of the mixture :

• ethanol, aqueous solutions, F.P.<23°C: complete

Log Pow : No data available No data available Auto-ignition temperature Decomposition temperature : No data available : No data available Viscosity Viscosity, kinematic No data available Viscosity, dynamic : No data available

### Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# Reactivity

No additional information available

#### 10.2. **Chemical stability**

Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

### Possibility of hazardous reactions

Not established.

#### 10.4. **Conditions to avoid**

Direct sunlight. Extremely high or low temperatures. Open flame.

### Incompatible materials

Strong acids. Strong bases.

### **Hazardous decomposition products**

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# **SECTION 11: Toxicological information**

# Information on toxicological effects

: Not classified Acute toxicity

ethanol, aqueous solutions, F.P.<23°C (64-17-5)	
LD50 oral rat	> 7060 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
LC50 inhalation rat (mg/l)	> 20 mg/l (4 h. Rat. Inhalation)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer (oral).

ethanol, aqueous solutions, F.P.<23°C (6	4-17-5)

1 - Carcinogenic to humans IARC group

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

Aspiration hazard

: Not classified

Potential Adverse human health effects and

: Based on available data, the classification criteria are not met. symptoms

# **SECTION 12: Ecological information**

# **Toxicity**

- 41- - - - 1

04/15/2020 EN (English US) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethanol, aqueous solutions, F.P.<23°C (64-17-5)	
LC50 fish 1	13.000 mg/l (96 h, Salmo gairdneri, Pure substance)
EC50 Daphnia 1	9300 mg/l (48 h, Daphnia magna, Pure substance)

### 12.2. Persistence and degradability

HANDSTAND SANITARY HAND PURIFIER 65% ETHANOL FORMULA	
Persistence and degradability	Not established.
ethanol, aqueous solutions, F.P.<23°C (64-17-5)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 - 0.97 g O₂/g substance
Chemical oxygen demand (COD)	1.70 g O₂/g substance
ThOD	2.10 g O₂/g substance
BOD (% of ThOD)	0.43

### 12.3. Bioaccumulative potential

HANDSTAND SANITARY HAND PURIFIER 65% ETHANOL FORMULA	
Bioaccumulative potential	Not established.
ethanol, aqueous solutions, F.P.<23°C (64-17-5)	
Log Pow	-0.32
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste disposal recommendations : an approved waste disposal plant. Dispose in a safe manner in accordance with local/national

regulations. Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

# **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN1987 Alcohols, n.o.s. (ethanol, aqueous solutions, F.P.<23°C), 3, II

UN-No.(DOT) : UN1987
Proper Shipping Name (DOT) : Alcohols, n.o.s.

ethanol, aqueous solutions, F.P.<23°C

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : LTD QTY - Limited quantity

Packing group (DOT) : II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

04/15/2020 EN (English US) 5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: 172 - This entry includes alcohol mixtures containing up to 5% petroleum products IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized T7 - 4 178.274(d)(2) Normal................. 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F)

TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

**MAWP** 

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150 DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

OIR 173.73)

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

#### **TDG**

No additional information available

**DOT Vessel Stowage Location** 

### Transport by sea

No additional information available

### Air transport

No additional information available

### **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

# HANDSTAND SANITARY HAND PURIFIER 65% ETHANOL FORMULA

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

# 15.2. International regulations

### CANADA

No additional information available

### **EU-Regulations**

No additional information available

# National regulations

# ethanol, aqueous solutions, F.P.<23°C (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

04/15/2020 EN (English US) 6/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# ethanol, aqueous solutions, F.P.<23°C (64-17-5)

U.S. - New Jersey - Right to Know Hazardous Substance List

# **SECTION 16: Other information**

Revision date : 04/15/2020 Other information : None.

Full text of H-phrases:

H225	Highly flammable liquid and vapor
H350	May cause cancer

NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard


beyond that of ordinary combustible materials.

NFPA fire hazard : 2 - Must be moderately heated or exposed to relatively high

temperature before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



**HMIS III Rating** 

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient

temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F

but below 200 F. (Classes II & IIIA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : B

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material.

04/15/2020 EN (English US) 7/7